




Weatherford®

*Selective
Re-entry
Systems*

Multilateral Systems



Selective Re-Entry System

Open Hole


Level 1

SRS™ 1.1

- Close proximity windows - laterals can be drilled close together at 180 degree spacing
- Re-entry Guide - allows remedial work in any lateral wellbore


Features and Benefits

- **Multiple Applications** - lateral wellbores can be completed open-hole or with slotted liners
- **Field proven technology** - Weatherford Whipback™ Whipstock systems have a proven field record of over 5,000 casing exits




SRS™ 1.2

- Incorporates features from SRS 1.1 with the following additions:
- Access window(s) provide re-entry, flow control, and isolation capabilities
- Level 2 functionality in an open hole environment
- Eliminate Gyro trips - no gyro trips necessary in the re-entry phase
- Lower zone(s) accessibility - large ID inflatable packer provides access to parent well




SRS™ 1.3 QuickConnect™



- Hydraulic running tool with mechanical backup release
- Dual use anchor Seal Assembly for drilling and production
- Orientation is controlled and simplified
- Zonal Isolation is available
- Zones can be produced independently or commingled
- Level 3 functionality allows for a more stable junction & protection from debris

Level 2

SRS™ 2



- Multiple applications - lateral wellbores can be completed open-hole or with slotted liners
- Eliminate Gyro trips - no gyro trips necessary in the re-entry phase
- Lower zone(s) accessibility - large ID packer provides access to parent well
- Close proximity windows - laterals can be drilled as close together as 4 feet at 180 degree spacing
- Selective re-entry - allows remedial work in any lateral wellbore
- Field proven technology - Weatherford Whipback™ Whipstocks systems have a proven field record of over 5,000 casing exits

Note: for other sizes contact your local multilateral representative - visit our website at www.weatherford.com


Selective Re-Entry System

Cased Hole

Level 3

SRS™ 3 QuickConnect™

- Rapid & simple installation of the *QuickConnect* module
- Eliminate Gyro trips - no gyro trips necessary in the re-entry phase
- Lower zone(s) accessibility - large ID packer provides access to parent well
- Zonal Isolation is available
- Zone's can be produced independently or commingled
- Selective re-entry - allows remedial work in any lateral wellbore
- Dual use Anchor Seal Assembly for milling and production
- Orientation is controlled and simplified
- Mechanical integrity at the junction
- Solids exclusion at the junction
- Optional lateral and mainbore completions
- Large through bore I.D.'s
- Positive alignment of junction members
- Field proven technology - Weatherford Whipback™ Whipstocks systems have a proven field record of over 5,000 casing exits



Weatherford®

515 Post Oak Blvd., Suite 600, Houston, Texas 77027
Phone: 713-693-4000
Fax: 713-693-4300
www.weatherford.com

Weatherford products and services are subject to Weatherford's standard terms and conditions. For more information concerning the full line of Weatherford products and services, please contact your authorized Weatherford representative. Unless noted otherwise, trademarks and service marks noted herein are the property of Weatherford.